



PIR-V3204E

NVR 32 CH, up to 8 TB, VCA, ANR



Recording	
Input channels	32
Max recording Res.	8MP
Playback Res. @ FPS	2 x 4K@30, 3 x 5MP@30, 4 x 4MP@30, 5 x 3MP@30, 8 x 1080p@30, 16 x 720p@30
Recording mode	Schedule, Permanent, Event, Motion, Alarm, VCA
Supported cameras	PAVAN, Axis, Bosch, Dallmeier, Dahua, Exom, Hikvision, inMotion, Nazer, Tiandy, UNV & all ONVIF cameras
Decoding	
Video compression	H265+, H.265, H.264
Input bandwidth (Mbps)	160
Output bandwidth(Mbps)	64
Live Res. @ FPS	2 x 4K@30, 3 x 5MP@30, 4 x 4MP@30, 5 x 3MP@30, 8 x 1080p@30, 16 x 720p@30
Display splits	3, 4, 5, 7, 9, 10, 12, 16, 32
Smart function	
Password policy	3 level
VCA	Intrusion Detection, Cross Line Detection, Enter Area, Leave Area, Defocus Detection, Scene Change Detection, Object Left Behind, Object Removed, Auto Tracking, People counting
Smart Backfill	Yes (ANR)
Mobil monitoring	Yes (Android, iOS)
Alarm management	Motion, Tampering, Human Body Detection, Video Loss, Alarm Input, Audio Detection, IP Conflict, Network Disconnected, Disk Offline, Disk Abnormal, Illegal Access, Hard Disk Space Low, Hard Disk Full, Recording/Snapshot Abnormal
Interfaces	
Storage option	4x SATA, Max 8 TB for each
Raid control	N/A
Video	HDMI1 1080, HDMI2 4K, 1x VGA 1080
Audio In/ Out	1/1
Ethernet	2x RJ45 10M/100M/1000M
PoE	N/A
USB	Front: 1x USB 2.0/ Rear 1x USB2.0 & 1x USB3.0
Serial (PTZ control)	N/A
Contact In/ Relay out	N/A
Backup	USB, LAN
Network protocol	
Protocols	IPV4, IPV6, TCP, UDP, HTTP, HTTPS, UPnP, DHCP, DDNS, NTP, FTP, Unicast, Multicast, RTSP, SNMP
Interface protocol	ONVIF (Profile S, G, T), P2P, SDK
Search function	
Search mode	Date, time, event
Intelligent search	VCA
Playback	16 CH Synchronous
Back up format	Native format (TS), MP4
Log book	Yes via system, warning Alarm, user, operation
General Specification	
MTBF	50,000 hour
Approval	CE, FCC, UL, RoHS, WEEE
Operation conditions	-10 °C ~ +55 °C, 10 % ~ 90 %
Power supply	12 VDC
Power consumption	12W (Without HDD)
Mounting	1 unit, Rackmount
Dimensions (mm)	440x344x50
Weight (Kg)	3.2KG

مشخصات مهم

- رکوردر ۳۲ کاناله
- ضبط انواع دوربین ها تا ۸ مگاپیکسل
- پشتیبانی از فشرده سازی H. 265+
- آنالیز هوشمند تصاویر
- پشتیبانی از کارت حافظه دوربین
- انتقال تصویر روی موبایل
- مدیریت هشدارها
- مصرف انرژی حداقل
- نصب داخل رک