

لیست قیمت تجهیزات نظارت تصویری

AHD Camera

XVR

اسفند ماه ۱۴۰۲




OLDEX

Old Experience, New Technology

تلفیقی از تجربه و تکنولوژی



 Pavankala.com

 ۰۲۱-۴۹۰۳۴۰۰۰



OLDEX

لیست قیمت محصولات AHD
اسفند ماه ۱۴۰۲

1		2MP AHD Bullet Camera @25fps ImageSensor F38 + Processor Fullhan(FH8536H) Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 2MP PowerSupply DC12V, OSD Menu Dimensions 160*70*60 (Size 60) IP66 weatherproof, MetalCase	CALL OAB-0220 A143 -F04
2		2MP AHD Bullet Camera @25fps ImageSensor F38 + Processor Fullhan(FH8536H) Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 2MP PowerSupply DC12V, OSD Menu Dimensions 160*70*60 (Size 60) IP66 weatherproof, MetalCase	CALL OAB-0220 A144 -F04
3		2MP AHD Bullet Camera @25fps ImageSensor F38 + Processor Fullhan(FH8536H) Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 2MP PowerSupply DC12V, OSD Menu Dimensions 160*70*60 (Size 60) IP66 weatherproof, MetalCase	CAL OAB-0220 A145 -F04
4		2MP AHD Bullet Camera @25fps ImageSensor F38 + Processor Fullhan(FH8536H) Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 2MP PowerSupply DC12V, OSD Menu Dimensions 160*70*60 (Size 60) IP66 weatherproof, MetalCase	CALL OAB-0220 A146 -F04
5		2MP AHD Bullet Camera @25fps ImageSensor F38 + Processor Fullhan(FH8536H) Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 2MP PowerSupply DC12V, OSD Menu Dimensions 160*70*60 (Size 60) IP66 weatherproof, MetalCase	CALL OAB-0220 A147 -F04
6		2MP AHD Bullet Camera @25fps ImageSensor F38 + Processor Fullhan(FH8536H) Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 2MP PowerSupply DC12V, OSD Menu Dimensions 160*70*60 (Size 60) IP66 weatherproof, MetalCase	CALL OAB-0220 A141 -F04
7		2MP AHD Bullet Camera @25fps ImageSensor F38 + Processor Fullhan(FH8536H) Full Color WarmLight up to 30m 4mm Fixed Lens YTOT 2MP PowerSupply DC12V, OSD Menu Dimensions 265*80*75 (Size 90) IP66 weatherproof, MetalCase	CALL OAB-0230 A142 -F04

OLDEX

لیست قیمت محصولات AHD
اسفند ماه ۱۴۰۲

8	  	2MP AHD Bullet Camera @25fps ImageSensor GC2053 + Processor Fullhan(FH8536H) Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 2MP PowerSupply DC12V, OSD Menu Dimensions 160*70*60 (Size 60) IP66 weatherproof, MetalCase	CALL OAB-0220 G143 -F04
9	  	2MP AHD Bullet Camera @25fps ImageSensor GC2053 + Processor Fullhan(FH8536H) Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 2MP PowerSupply DC12V, OSD Menu Dimensions 160*70*60 (Size 60) IP66 weatherproof, MetalCase	CALL OAB-0220 G144 -F04
10	  	2MP AHD Bullet Camera @25fps ImageSensor GC2053 + Processor Fullhan(FH8536H) Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 2MP PowerSupply DC12V, OSD Menu Dimensions 160*70*60 (Size 60) IP66 weatherproof, MetalCase	CALL OAB-0220 G145 -F04
11	  	2MP AHD Bullet Camera @25fps ImageSensor GC2053 + Processor Fullhan(FH8536H) Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 2MP PowerSupply DC12V, OSD Menu Dimensions 160*70*60 (Size 60) IP66 weatherproof, MetalCase	CALL OAB-0220 G146 -F04
12	  	2MP AHD Bullet Camera @25fps ImageSensor GC2053 + Processor Fullhan(FH8536H) Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 2MP PowerSupply DC12V, OSD Menu Dimensions 160*70*60 (Size 60) IP66 weatherproof, MetalCase	CALL OAB-0220 G147 -F04
13	  	2MP AHD Bullet Camera @25fps ImageSensor GC2053 + Processor Fullhan(FH8536H) Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 2MP PowerSupply DC12V, OSD Menu Dimensions 160*70*60 (Size 60) IP66 weatherproof, MetalCase	CALL OAB-0220 G141 -F04
14	  	2MP AHD Bullet Camera @25fps ImageSensor GC2053 + Processor Fullhan(FH8536H) Full Color WarmLight up to 30m 4mm Fixed Lens YTOT 2MP PowerSupply DC12V, OSD Menu Dimensions 265*80*75 (Size 90) IP66 weatherproof, MetalCase	CALL OAB-0230 G142 -F04

OLDEX

لیست قیمت محصولات AHD
اسفند ماه ۱۴۰۲

15		2MP AHD Bullet Camera @25fps ImageSensor Sony307 +Processor Fullhan(FH8550) Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 2MP PowerSupply DC12V, OSD Menu Dimensions 160*70*60 (Size 60) IP66 weatherproof, MetalCase	CALL OAB-0220 X343 -F04
16		2MP AHD Bullet Camera @25fps ImageSensor Sony307 +Processor Fullhan(FH8550) Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 2MP PowerSupply DC12V, OSD Menu Dimensions 160*70*60 (Size 60) IP66 weatherproof, MetalCase	CALL OAB-0220 X344 -F04
17		2MP AHD Bullet Camera @25fps ImageSensor Sony307 +Processor Fullhan(FH8550) Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 2MP PowerSupply DC12V, OSD Menu Dimensions 160*70*60 (Size 60) IP66 weatherproof, MetalCase	CALL OAB-0220 X345 -F04
18		2MP AHD Bullet Camera @25fps ImageSensor Sony307 +Processor Fullhan(FH8550) Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 2MP PowerSupply DC12V, OSD Menu Dimensions 160*70*60 (Size 60) IP66 weatherproof, MetalCase	CALL OAB-0220 X346 -F04
19		2MP AHD Bullet Camera @25fps ImageSensor Sony307 +Processor Fullhan(FH8550) Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 2MP PowerSupply DC12V, OSD Menu Dimensions 160*70*60 (Size 60) IP66 weatherproof, MetalCase	CALL OAB-0220 X341 -F04
20		2MP AHD Bullet Camera @25fps ImageSensor Sony307 +Processor Fullhan(FH8550) Full Color WarmLight up to 30m 4mm Fixed Lens YTOT 2MP PowerSupply DC12V, OSD Menu Dimensions 265*80*75 (Size 90) IP66 weatherproof, MetalCase	CALL OAB-0230 X342 -F04
21		2MP AHD Bullet Camera @25fps , with WDR ImageSensor Sony307 +Processor Fullhan(FH8550) Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 2MP PowerSupply DC12V, OSD Menu Dimensions 160*70*60 (Size 60) IP66 weatherproof, MetalCase	CALL OAB-0220 X141 -F04

OLDEX**لیست قیمت محصولات AHD**
اسفند ماه ۱۴۰۲

22	  	2MP AHD Bullet Camera @25fps , with WDR ImageSensor Sony307 +Processor Fullhan(FH8550) Full Color WarmLight up to 30m 4mm Fixed Lens YTOT 2MP PowerSupply DC12V, OSD Menu Dimensions 265*80*75 (Size 90) IP66 weatherproof, MetalCase	CALL OAB-0230 X142 -F04
23	  	5MP AHD Bullet Camera @25fps ImageSensor GC4653 + Processor Fullhan(FH8538) Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 5MP (2.8mm Optional) PowerSupply DC12V, OSD Menu Dimensions 160*70*60 (Size 60) IP66 weatherproof, MetalCase	CALL OAB-0520 G243 -F04
24	  	5MP AHD Bullet Camera @25fps ImageSensor GC4653 + Processor Fullhan(FH8538) Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 5MP (2.8mm Optional) PowerSupply DC12V, OSD Menu Dimensions 160*70*60 (Size 60) IP66 weatherproof, MetalCase	CALL OAB-0520 G244 -F04
25	  	5MP AHD Bullet Camera @25fps ImageSensor GC4653 + Processor Fullhan(FH8538) Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 5MP (2.8mm Optional) PowerSupply DC12V, OSD Menu Dimensions 160*70*60 (Size 60) IP66 weatherproof, MetalCase	CALL OAB-0520 G245 -F04
26	  	5MP AHD Bullet Camera @25fps ImageSensor GC4653 + Processor Fullhan(FH8538) Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 5MP (2.8mm Optional) PowerSupply DC12V, OSD Menu Dimensions 160*70*60 (Size 60) IP66 weatherproof, MetalCase	CALL OAB-0520 G246 -F04
27	  	5MP AHD Bullet Camera @25fps ImageSensor GC4653 + Processor Fullhan(FH8538) Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 5MP (2.8mm Optional) PowerSupply DC12V, OSD Menu Dimensions 160*70*60 (Size 60) IP66 weatherproof, MetalCase	CALL OAB-0520 G241 -F04
28	  	5MP AHD Bullet Camera @25fps ImageSensor GC4653 + Processor Fullhan(FH8538) Full Color WarmLight up to 30m 4mm Fixed Lens YTOT 5MP (2.8mm Optional) PowerSupply DC12V, OSD Menu Dimensions 265*80*75 (Size 90) IP66 weatherproof, MetalCase	CALL OAB-0530 G242 -F04

OLDEX

لیست قیمت محصولات AHD
اسفند ماه ۱۴۰۲

29	  	<p>5MP AHD Bullet Camera @25fps ImageSensor Sony335 +Processor Fullhan(FH8538M) Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 5MP (2.8mm Optional) PowerSupply DC12V, OSD Menu Dimensions 160*70*60 (Size 60) IP66 weatherproof, MetalCase</p>	<p>CALL OAB-0520 X243 -F04(28)</p>
30	  	<p>5MP AHD Bullet Camera @25fps ImageSensor Sony335 +Processor Fullhan(FH8538M) Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 5MP (2.8mm Optional) PowerSupply DC12V, OSD Menu Dimensions 160*70*60 (Size 60) IP66 weatherproof, MetalCase</p>	<p>CALL OAB-0520 X244 -F04(28)</p>
31	  	<p>5MP AHD Bullet Camera @25fps ImageSensor Sony335 +Processor Fullhan(FH8538M) Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 5MP (2.8mm Optional) PowerSupply DC12V, OSD Menu Dimensions 160*70*60 (Size 60) IP66 weatherproof, MetalCase</p>	<p>CAL OAB-0520 X245 -F04(28)</p>
32	  	<p>5MP AHD Bullet Camera @25fps ImageSensor Sony335 +Processor Fullhan(FH8538M) Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 5MP (2.8mm Optional) PowerSupply DC12V, OSD Menu Dimensions 160*70*60 (Size 60) IP66 weatherproof, MetalCase</p>	<p>CALL OAB-0520 X246 -F04(28)</p>
33	  	<p>5MP AHD Bullet Camera @25fps ImageSensor Sony335 +Processor Fullhan(FH8538M) Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 5MP (2.8mm Optional) PowerSupply DC12V, OSD Menu Dimensions 160*70*60 (Size 60) IP66 weatherproof, MetalCase</p>	<p>CALL OAB-0520 X241 -F04(28)</p>
34	  	<p>5MP AHD Bullet Camera @25fps ImageSensor Sony335 +Processor Fullhan(FH8538M) Full Color WarmLight up to 30m 4mm Fixed Lens YTOT 5MP (2.8mm Optional) PowerSupply DC12V, OSD Menu Dimensions 265*80*75 (Size 90) IP66 weatherproof, MetalCase</p>	<p>CALL OAB-0530 X242 -F04(28)</p>
35	  	<p>2MP AHD Bullet Camera @25fps ImageSensor GC2053 + Processor Fullhan Full Color WarmLight up to 40m 3.6mm Fixed Lens PowerSupply DC12V, OSD Menu Dimensions 310*90*75 IP66 weatherproof, MetalCase</p>	<p>CALL OAB-0230 A28 -F36</p>

OLDEX

لیست قیمت محصولات AHD

اسفند ماه ۱۴۰۲

36		2MP AHD Dome Camera @25fps ImageSensor F38 + Processor Fullhan(FH8536H) Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 2MP PowerSupply DC12V, OSD Menu Dimensions 105*100*70 IP66 weatherproof, MetalCase	CALL OAD-0220 B121 -F04
37		2MP AHD Dome Camera @25fps ImageSensor GC2053 + Processor Fullhan(FH8536H) Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 2MP PowerSupply DC12V, OSD Menu Dimensions 105*100*70 IP66 weatherproof, MetalCase	CALL OAD-0220 G121 -F04
38		2MP AHD Dome Camera @25fps ImageSensor Sony307 +Processor Fullhan(FH8550) Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 2MP PowerSupply DC12V, OSD Menu Dimensions 105*100*70 IP66 weatherproof, MetalCase	CALL OAD-0220 X321 -F04
39		2MP AHD Dome Camera @25fps , with WDR ImageSensor Sony307 +Processor Fullhan(FH8550) Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 2MP PowerSupply DC12V, OSD Menu Dimensions 105*100*70 IP66 weatherproof, MetalCase	CALL OAD-0220 X121 -F04
40		2MP AHD Dome Camera @25fps ImageSensor GC2053 + Processor Fullhan Full Color WarmLight up to 20m 3.6mm Fixed Lens PowerSupply DC12V, OSD Menu Dimensions 85*85*80 IP66 weatherproof, MetalCase	CALL OAD-0220 B12 -F36
41		5MP AHD Dome Camera @25fps ImageSensor Sony Sony307 + Processor Fullhan Full Color WarmLight up to 20m 3.6mm Fixed Lens PowerSupply DC12V, OSD Menu Dimensions 100*100*100 IP65, PelasticCase	CALL OAD-0520 X10 -F36
42		5MP AHD Dome Camera @25fps ImageSensor GC4653 + Processor Fullhan(FH8538) Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 5MP (2.8mm Optional) PowerSupply DC12V, OSD Menu Dimensions 105*100*70 IP66 weatherproof, MetalCase	CALL OAD-0520 G221 -F04(28)
43		5MP AHD Dome Camera @25fps ImageSensor Sony335 +Processor Fullhan(FH8538M) Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 5MP (2.8mm Optional) PowerSupply DC12V, OSD Menu Dimensions 105*100*70 IP66 weatherproof, MetalCase	CALL OAD-0520 X221 -F04(28)

OLDEX

لیست قیمت محصولات AHD

اسفند ماه ۱۴۰۲

Built-in MIC دوربین های میکروفن دار





44		2MP AHD Bullet Camera @25fps , Built-in MIC ImageSensor GC2053 + Processor Fullhan Full Color WarmLight up to 20m 3.6mm Fixed Lens 4 in 1 : AHD / Analog / TVI / CVI PowerSupply DC12V, OSD Menu Dimensions 170*60*60 IP66 weatherproof, PlasticCase	بزرودی OAB-0220 A17 -AF36
45		2MP AHD Bullet Camera @25fps , Built-in MIC ImageSensor GC2053 + Processor Fullhan Full Color WarmLight up to 20m 3.6mm Fixed Lens 4 in 1 : AHD / Analog / TVI / CVI PowerSupply DC12V, OSD Menu Dimensions 160*70*60 IP66 weatherproof, MetalCase	بزرودی OAB-0220 A29 -AF36
46		5MP AHD Bullet Camera @25fps , Built-in MIC ImageSensor GC4653 + Processor Fullhan(FH8538) Full Color WarmLight up to 20m 3.6mm Fixed Lens 4 in 1 : AHD / Analog / TVI / CVI PowerSupply DC12V, OSD Menu Dimensions 160*70*60 IP66 weatherproof, MetalCase	بزرودی OAB-0520 A30 -AF36
47		2MP AHD Dome Camera @25fps , Built-in MIC ImageSensor GC2053 + Processor Fullhan Full Color WarmLight up to 20m 3.6mm Fixed Lens 4 in 1 : AHD / Analog / TVI / CVI PowerSupply DC12V, OSD Menu Dimensions 100*100*100 IP65, PlasticCase	بزرودی OAD-0220 B10 -AF36
48		2MP AHD Dome Camera @25fps , Built-in MIC ImageSensor GC2053 + Processor Fullhan Full Color WarmLight up to 20m 3.6mm Fixed Lens 4 in 1 : AHD / Analog / TVI / CVI PowerSupply DC12V, OSD Menu Dimensions 85*85*80 IP66 weatherproof, MetalCase	بزرودی OAD-0220 B12 -AF36
49		5MP AHD Dome Camera @25fps , Built-in MIC ImageSensor GC4653 + Processor Fullhan(FH8538) Full Color WarmLight up to 20m 3.6mm Fixed Lens 4 in 1 : AHD / Analog / TVI / CVI PowerSupply DC12V, OSD Menu Dimensions 100*100*100 IP65, PlasticCase	بزرودی OAD-0520 B13 -AF36
50		5MP AHD Dome Camera @25fps , Built-in MIC ImageSensor GC4653 + Processor Fullhan(FH8538) Full Color WarmLight up to 20m 3.6mm Fixed Lens 4 in 1 : AHD / Analog / TVI / CVI PowerSupply DC12V, OSD Menu Dimensions 85*85*80 IP66 weatherproof, MetalCase	بزرودی OAD-0520 B14 -AF36



<p>51</p> <p>FullColor (Dual Light: IR & WarmLight)</p>	<p>دوربین بیسیم چرخشی (وای فای) وارملایت سربلیچ لامپی رزولوشن ۲ مگاپیکسل، قابلیت چرخش ۳۶۰ درجه افقی و ۱۲۰ درجه عمودی دارای لنز فیکس با فاصله کانونی ۲.۸mm، سایپورت مموری کارت تا ۱۲۸ گیگابایت دارای قابلیت پرتاب نورمرئی و نامرئی (دید در شب رنگی) IR & WarmLight دارای میکروفن و اسپیکر داخلی برای مکالمه دو طرفه دارای WiFi داخلی، دارای قابلیت تشخیص حرکت و انسان قابلیت پخش آژیر از بلندگو، ارسال پیام بر روی اپلیکیشن موبایل V380 تعقیب خودکار سوژه، قابلیت تعریف نقاط پیش فرض در تصویر دارای زمان بندی چرخش و آلارم و گردش اتومات، به همراه یکعدد سربلیچ لامپ</p>	<p>CALL</p> <p>ONW-02L1</p>
<p>52</p> <p>with IR</p>	<p>دوربین بیسیم چرخشی (وای فای) رومیزی / دیواری رزولوشن ۳ مگاپیکسل، قابلیت چرخش ۳۶۰ درجه افقی و ۱۲۰ درجه عمودی دارای لنز فیکس با فاصله کانونی ۲.۸mm، سایپورت مموری کارت تا ۱۲۸ گیگابایت دارای قابلیت پرتاب نورنامرئی (دید در شب سیاه سفید) IR دارای میکروفن و اسپیکر داخلی برای مکالمه دو طرفه دارای WiFi داخلی، دارای قابلیت تشخیص حرکت و انسان قابلیت پخش آژیر از بلندگو، ارسال پیام بر روی اپلیکیشن موبایل P6SLite تعقیب خودکار سوژه، قابلیت تعریف نقاط پیش فرض در تصویر دارای زمان بندی چرخش و آلارم و گردش اتومات</p>	<p>CALL</p> <p>ONW-03P1</p>
<p>53</p> <p>FullColor (Dual Light: IR & WarmLight)</p>	<p>دوربین بیسیم چرخشی (وای فای) وارملایت رومیزی / دیواری رزولوشن ۳ مگاپیکسل، قابلیت چرخش ۳۶۰ درجه افقی و ۱۲۰ درجه عمودی دارای لنز فیکس با فاصله کانونی ۲.۸mm، سایپورت مموری کارت تا ۱۲۸ گیگابایت دارای قابلیت پرتاب نورمرئی و نامرئی (دید در شب رنگی) IR & WarmLight دارای میکروفن و اسپیکر داخلی برای مکالمه دو طرفه دارای WiFi داخلی، دارای قابلیت تشخیص حرکت و انسان قابلیت پخش آژیر از بلندگو، ارسال پیام بر روی اپلیکیشن موبایل P6SLite تعقیب خودکار سوژه، قابلیت تعریف نقاط پیش فرض در تصویر دارای زمان بندی چرخش و آلارم و گردش اتومات</p>	<p>CALL</p> <p>ONW-03PD2</p>
<p>54</p> <p>OPS-1202</p>	<p>آداپتور ۱۲ ولت ۲ آمپر - درجه یک</p>	<p>CALL</p> <p>OPS-1202</p>
<p>55</p>	<p>پیچی مغزی طلائی BNC جعبه ۳۰ تایی</p>	<p>CALL</p>
<p>56</p>	<p>سوکت شبکه Cat6 UTP میان گذر جعبه ۵۰ تایی</p>	<p>CALL</p>
<p>57</p>	<p>سوکت شبکه Cat6 SFTP میان گذر جعبه ۵۰ تایی</p>	<p>CALL</p>

OLDEX

لیست قیمت محصولات AHD
اسفند ماه ۱۴۰۲

58		<p>4CH 5M-N XVR Hisilicon Pentabrid (Analoge,AHD,CVI,TVI,IP) Recording 4*1080p@14FPS , H.265X Video Compression HDMI & VGA & AV Video Output 1 SATA HDD Up to 10TB 4CH Audio In/1CH Audio Out 1*10/100 Mbps LAN Interface - 2*USB 2.0 - RS485 MotionDetection, VideoBlind, VideoLoss, Abnormality, FaceDetect, HumanDetect, VehicleDetect P2P XMEye support IOS&Andriod</p>	<p>CALL OAR-0401-PH</p>
59		<p>4CH 5M-N XVR Novatech Pentabrid (Analoge,AHD,CVI,TVI,IP) Recording 4*1080p@25FPS , H.265 Video Compression HDMI & VGA & AV Video Output 1 SATA HDD Up to 6TB 4CH Audio In/1CH Audio Out 1*10/100 Mbps LAN Interface - 2*USB 2.0 - RS485 MotionDetection, VideoBlind, VideoLoss, Abnormality, FaceDetect, HumanDetect, VehicleDetect P2P XMEye support IOS&Andriod</p>	<p>CALL OAR-0401-PV</p>
60		<p>4CH 5M-N XVR UniView Pentabrid (Analoge,AHD,CVI,TVI,IP) Recording 4*5MP-N , H.265 Video Compression Support Audio Over Coaxial Cable HDMI & VGA Video Output 1 SATA HDD Up to 6TB 1*10/100 Mbps LAN Interface - 2*USB 2.0 MotionDetection, VideoBlind, VideoLoss, Abnormality, FaceDetect, HumanDetect, VehicleDetect P2P GuardViewer support IOS&Andriod</p>	<p>CALL OAR-V0401</p>
61		<p>8CH 5M-N XVR Novatech Pentabrid (Analoge,AHD,CVI,TVI,IP) Recording 8*1080N@25FPS , H.265 Video Compression HDMI & VGA & AV Video Output 1 SATA HDD Up to 6TB 4CH Audio In/1CH Audio Out 1*10/100 Mbps LAN Interface - 2*USB 2.0 - RS485 MotionDetection, VideoBlind, VideoLoss, Abnormality, FaceDetect, HumanDetect, VehicleDetect P2P XMEye support IOS&Andriod</p>	<p>بزودی OAR-0801-NV</p>
62		<p>8CH 5M-N XVR UniView Pentabrid (Analoge,AHD,CVI,TVI,IP) Recording 8*5MP-N , H.265 Video Compression Support Audio Over Coaxial Cable HDMI & VGA Video Output 1 SATA HDD Up to 6TB 1*10/100 Mbps LAN Interface - 2*USB 2.0 MotionDetection, VideoBlind, VideoLoss, Abnormality, FaceDetect, HumanDetect, VehicleDetect P2P GuardViewer support IOS&Andriod</p>	<p>CALL OAR-V0801</p>
63		<p>16CH 5M-N XVR UniView Pentabrid (Analoge,AHD,CVI,TVI,IP) Recording 16*5MP-N , H.265 Video Compression Support Audio Over Coaxial Cable HDMI & VGA Video Output 1 SATA HDD Up to 6TB 1*10/100 Mbps LAN Interface - 2*USB 2.0 MotionDetection, VideoBlind, VideoLoss, Abnormality, FaceDetect, HumanDetect, VehicleDetect P2P GuardViewer support IOS&Andriod</p>	<p>CALL OAR-V1601</p>