

لیست قیمت تجهیزات نظارت تصویری

**AHD Camera**

**XVR**

فروردین ماه ۱۴۰۳



دو سال گارانتی تعویض  
بی قید و شرط دوربین ها



**OLDEX**

Old Experience, New Technology  
تلفیقی از تجربه و تکنولوژی

☎ ۰۲۱-۴۹۰۳۴۰۰۰

🌐 [Pavankala.com](http://Pavankala.com)

**OLDEX**

لیست قیمت محصولات AHD  
فروردین ماه ۱۴۰۳

1		<p><b>2MP AHD Bullet Camera @25fps</b>  <b>ImageSensor F38 + Processor Fullhan(FH8536H)</b>            Full Color WarmLight up to 20m            4mm Fixed Lens YTOT 2MP            PowerSupply DC12V, OSD Menu            Dimensions 160*70*60 (Size 60)            IP66 weatherproof, MetalCase</p>	<p>CALL</p> <p>OAB-0220 <b>A143</b> -F04</p>
2		<p><b>2MP AHD Bullet Camera @25fps</b>  <b>ImageSensor F38 + Processor Fullhan(FH8536H)</b>            Full Color WarmLight up to 20m            4mm Fixed Lens YTOT 2MP            PowerSupply DC12V, OSD Menu            Dimensions 160*70*60 (Size 60)            IP66 weatherproof, MetalCase</p>	<p>CALL</p> <p>OAB-0220 <b>A144</b> -F04</p>
3		<p><b>2MP AHD Bullet Camera @25fps</b>  <b>ImageSensor F38 + Processor Fullhan(FH8536H)</b>            Full Color WarmLight up to 20m            4mm Fixed Lens YTOT 2MP            PowerSupply DC12V, OSD Menu            Dimensions 160*70*60 (Size 60)            IP66 weatherproof, MetalCase</p>	<p>CALL</p> <p>OAB-0220 <b>A145</b> -F04</p>
4		<p><b>2MP AHD Bullet Camera @25fps</b>  <b>ImageSensor F38 + Processor Fullhan(FH8536H)</b>            Full Color WarmLight up to 20m            4mm Fixed Lens YTOT 2MP            PowerSupply DC12V, OSD Menu            Dimensions 160*70*60 (Size 60)            IP66 weatherproof, MetalCase</p>	<p>CALL</p> <p>OAB-0220 <b>A146</b> -F04</p>
5		<p><b>2MP AHD Bullet Camera @25fps</b>  <b>ImageSensor F38 + Processor Fullhan(FH8536H)</b>            Full Color WarmLight up to 20m            4mm Fixed Lens YTOT 2MP            PowerSupply DC12V, OSD Menu            Dimensions 160*70*60 (Size 60)            IP66 weatherproof, MetalCase</p>	<p>CALL</p> <p>OAB-0220 <b>A147</b> -F04</p>
6		<p><b>2MP AHD Bullet Camera @25fps</b>  <b>ImageSensor F38 + Processor Fullhan(FH8536H)</b>            Full Color WarmLight up to 20m            4mm Fixed Lens YTOT 2MP            PowerSupply DC12V, OSD Menu            Dimensions 160*70*60 (Size 60)            IP66 weatherproof, MetalCase</p>	<p>CALL</p> <p>OAB-0220 <b>A141</b> -F04</p>
7		<p><b>2MP AHD Bullet Camera @25fps</b>  <b>ImageSensor F38 + Processor Fullhan(FH8536H)</b>            Full Color WarmLight up to 30m            4mm Fixed Lens YTOT 2MP            PowerSupply DC12V, OSD Menu            Dimensions 265*80*75 (Size 90)            IP66 weatherproof, MetalCase</p>	<p>CALL</p> <p>OAB-0230 <b>A142</b> -F04</p>



**OLDEX**

لیست قیمت محصولات AHD  
فروردین ماه ۱۴۰۳

8		<p><b>2MP AHD Bullet Camera @25fps</b>  <b>ImageSensor GC2053 + Processor Fullhan(FH8536H)</b>          Full Color WarmLight up to 20m          4mm Fixed Lens YTOT 2MP          PowerSupply DC12V, OSD Menu          Dimensions 160*70*60 (Size 60)          IP66 weatherproof, MetalCase</p>	<p>CALL          OAB-0220 G143 -F04</p>
9		<p><b>2MP AHD Bullet Camera @25fps</b>  <b>ImageSensor GC2053 + Processor Fullhan(FH8536H)</b>          Full Color WarmLight up to 20m          4mm Fixed Lens YTOT 2MP          PowerSupply DC12V, OSD Menu          Dimensions 160*70*60 (Size 60)          IP66 weatherproof, MetalCase</p>	<p>CALL          OAB-0220 G144 -F04</p>
10		<p><b>2MP AHD Bullet Camera @25fps</b>  <b>ImageSensor GC2053 + Processor Fullhan(FH8536H)</b>          Full Color WarmLight up to 20m          4mm Fixed Lens YTOT 2MP          PowerSupply DC12V, OSD Menu          Dimensions 160*70*60 (Size 60)          IP66 weatherproof, MetalCase</p>	<p>CALL          OAB-0220 G145 -F04</p>
11		<p><b>2MP AHD Bullet Camera @25fps</b>  <b>ImageSensor GC2053 + Processor Fullhan(FH8536H)</b>          Full Color WarmLight up to 20m          4mm Fixed Lens YTOT 2MP          PowerSupply DC12V, OSD Menu          Dimensions 160*70*60 (Size 60)          IP66 weatherproof, MetalCase</p>	<p>CALL          OAB-0220 G146 -F04</p>
12		<p><b>2MP AHD Bullet Camera @25fps</b>  <b>ImageSensor GC2053 + Processor Fullhan(FH8536H)</b>          Full Color WarmLight up to 20m          4mm Fixed Lens YTOT 2MP          PowerSupply DC12V, OSD Menu          Dimensions 160*70*60 (Size 60)          IP66 weatherproof, MetalCase</p>	<p>CALL          OAB-0220 G147 -F04</p>
13		<p><b>2MP AHD Bullet Camera @25fps</b>  <b>ImageSensor GC2053 + Processor Fullhan(FH8536H)</b>          Full Color WarmLight up to 20m          4mm Fixed Lens YTOT 2MP          PowerSupply DC12V, OSD Menu          Dimensions 160*70*60 (Size 60)          IP66 weatherproof, MetalCase</p>	<p>CALL          OAB-0220 G141 -F04</p>
14		<p><b>2MP AHD Bullet Camera @25fps</b>  <b>ImageSensor GC2053 + Processor Fullhan(FH8536H)</b>          Full Color WarmLight up to 30m          4mm Fixed Lens YTOT 2MP          PowerSupply DC12V, OSD Menu          Dimensions 265*80*75 (Size 90)          IP66 weatherproof, MetalCase</p>	<p>CALL          OAB-0230 G142 -F04</p>

**OLDEX**

لیست قیمت محصولات AHD  
فروردین ماه ۱۴۰۳

15		<p><b>2MP AHD Bullet Camera @25fps</b>  <b>ImageSensor Sony307 +Processor Fullhan(FH8550)</b>          Full Color WarmLight up to 20m          4mm Fixed Lens YTOT 2MP          PowerSupply DC12V, OSD Menu          Dimensions 160*70*60 (Size 60)          IP66 weatherproof, MetalCase</p>	<p>CALL          OAB-0220 X343 -F04</p>
16		<p><b>2MP AHD Bullet Camera @25fps</b>  <b>ImageSensor Sony307 +Processor Fullhan(FH8550)</b>          Full Color WarmLight up to 20m          4mm Fixed Lens YTOT 2MP          PowerSupply DC12V, OSD Menu          Dimensions 160*70*60 (Size 60)          IP66 weatherproof, MetalCase</p>	<p>CALL          OAB-0220 X344 -F04</p>
17		<p><b>2MP AHD Bullet Camera @25fps</b>  <b>ImageSensor Sony307 +Processor Fullhan(FH8550)</b>          Full Color WarmLight up to 20m          4mm Fixed Lens YTOT 2MP          PowerSupply DC12V, OSD Menu          Dimensions 160*70*60 (Size 60)          IP66 weatherproof, MetalCase</p>	<p>CALL          OAB-0220 X345 -F04</p>
18		<p><b>2MP AHD Bullet Camera @25fps</b>  <b>ImageSensor Sony307 +Processor Fullhan(FH8550)</b>          Full Color WarmLight up to 20m          4mm Fixed Lens YTOT 2MP          PowerSupply DC12V, OSD Menu          Dimensions 160*70*60 (Size 60)          IP66 weatherproof, MetalCase</p>	<p>CALL          OAB-0220 X346 -F04</p>
19		<p><b>2MP AHD Bullet Camera @25fps</b>  <b>ImageSensor Sony307 +Processor Fullhan(FH8550)</b>          Full Color WarmLight up to 20m          4mm Fixed Lens YTOT 2MP          PowerSupply DC12V, OSD Menu          Dimensions 160*70*60 (Size 60)          IP66 weatherproof, MetalCase</p>	<p>CALL          OAB-0220 X341 -F04</p>
20		<p><b>2MP AHD Bullet Camera @25fps</b>  <b>ImageSensor Sony307 +Processor Fullhan(FH8550)</b>          Full Color WarmLight up to 30m          4mm Fixed Lens YTOT 2MP          PowerSupply DC12V, OSD Menu          Dimensions 265*80*75 (Size 90)          IP66 weatherproof, MetalCase</p>	<p>CALL          OAB-0230 X342 -F04</p>
21		<p><b>2MP AHD Bullet Camera @25fps , with WDR</b>  <b>ImageSensor Sony307 +Processor Fullhan(FH8550)</b>          Full Color WarmLight up to 20m          4mm Fixed Lens YTOT 2MP          PowerSupply DC12V, OSD Menu          Dimensions 160*70*60 (Size 60)          IP66 weatherproof, MetalCase</p>	<p>CALL          OAB-0220 X141 -F04</p>

**OLDEX****لیست قیمت محصولات AHD**  
**فروردین ماه ۱۴۰۳**

22	   FullColor	<b>2MP AHD Bullet Camera @25fps , with WDR</b> <b>ImageSensor Sony307 +Processor Fullhan(FH8550)</b> Full Color WarmLight up to 30m 4mm Fixed Lens YTOT 2MP PowerSupply DC12V, OSD Menu Dimensions 265*80*75 (Size 90) IP66 weatherproof, MetalCase	CALL  OAB-0230 X142 -F04
23	  FullColor	<b>5MP AHD Bullet Camera @25fps</b> <b>ImageSensor GC4653 + Processor Fullhan(FH8538)</b> Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 5MP (2.8mm Optional) PowerSupply DC12V, OSD Menu Dimensions 160*70*60 (Size 60) IP66 weatherproof, MetalCase	CALL  OAB-0520 G243 -F04
24	  FullColor	<b>5MP AHD Bullet Camera @25fps</b> <b>ImageSensor GC4653 + Processor Fullhan(FH8538)</b> Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 5MP (2.8mm Optional) PowerSupply DC12V, OSD Menu Dimensions 160*70*60 (Size 60) IP66 weatherproof, MetalCase	CALL  OAB-0520 G244 -F04
25	  FullColor	<b>5MP AHD Bullet Camera @25fps</b> <b>ImageSensor GC4653 + Processor Fullhan(FH8538)</b> Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 5MP (2.8mm Optional) PowerSupply DC12V, OSD Menu Dimensions 160*70*60 (Size 60) IP66 weatherproof, MetalCase	CALL  OAB-0520 G245 -F04
26	  FullColor	<b>5MP AHD Bullet Camera @25fps</b> <b>ImageSensor GC4653 + Processor Fullhan(FH8538)</b> Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 5MP (2.8mm Optional) PowerSupply DC12V, OSD Menu Dimensions 160*70*60 (Size 60) IP66 weatherproof, MetalCase	CALL  OAB-0520 G246 -F04
27	  FullColor	<b>5MP AHD Bullet Camera @25fps</b> <b>ImageSensor GC4653 + Processor Fullhan(FH8538)</b> Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 5MP (2.8mm Optional) PowerSupply DC12V, OSD Menu Dimensions 160*70*60 (Size 60) IP66 weatherproof, MetalCase	CALL  OAB-0520 G241 -F04
28	  FullColor	<b>5MP AHD Bullet Camera @25fps</b> <b>ImageSensor GC4653 + Processor Fullhan(FH8538)</b> Full Color WarmLight up to 30m 4mm Fixed Lens YTOT 5MP (2.8mm Optional) PowerSupply DC12V, OSD Menu Dimensions 265*80*75 (Size 90) IP66 weatherproof, MetalCase	CALL  OAB-0530 G242 -F04

**OLDEX**

لیست قیمت محصولات AHD  
فروردین ماه ۱۴۰۳

29	 FullColor	<b>5MP AHD Bullet Camera @25fps</b> <b>ImageSensor Sony335 +Processor Fullhan(FH8538M)</b> Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 5MP (2.8mm Optional) PowerSupply DC12V, OSD Menu Dimensions 160*70*60 (Size 60) IP66 weatherproof, MetalCase	CALL  OAB-0520 X243 -F04(28)
30	 FullColor	<b>5MP AHD Bullet Camera @25fps</b> <b>ImageSensor Sony335 +Processor Fullhan(FH8538M)</b> Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 5MP (2.8mm Optional) PowerSupply DC12V, OSD Menu Dimensions 160*70*60 (Size 60) IP66 weatherproof, MetalCase	CALL  OAB-0520 X244 -F04(28)
31	 FullColor	<b>5MP AHD Bullet Camera @25fps</b> <b>ImageSensor Sony335 +Processor Fullhan(FH8538M)</b> Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 5MP (2.8mm Optional) PowerSupply DC12V, OSD Menu Dimensions 160*70*60 (Size 60) IP66 weatherproof, MetalCase	CALL  OAB-0520 X245 -F04(28)
32	 FullColor	<b>5MP AHD Bullet Camera @25fps</b> <b>ImageSensor Sony335 +Processor Fullhan(FH8538M)</b> Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 5MP (2.8mm Optional) PowerSupply DC12V, OSD Menu Dimensions 160*70*60 (Size 60) IP66 weatherproof, MetalCase	CALL  OAB-0520 X246 -F04(28)
33	 FullColor	<b>5MP AHD Bullet Camera @25fps</b> <b>ImageSensor Sony335 +Processor Fullhan(FH8538M)</b> Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 5MP (2.8mm Optional) PowerSupply DC12V, OSD Menu Dimensions 160*70*60 (Size 60) IP66 weatherproof, MetalCase	CALL  OAB-0520 X241 -F04(28)
34	 FullColor	<b>5MP AHD Bullet Camera @25fps</b> <b>ImageSensor Sony335 +Processor Fullhan(FH8538M)</b> Full Color WarmLight up to 30m 4mm Fixed Lens YTOT 5MP (2.8mm Optional) PowerSupply DC12V, OSD Menu Dimensions 265*80*75 (Size 90) IP66 weatherproof, MetalCase	CALL  OAB-0530 X242 -F04(28)
35	 FullColor	<b>2MP AHD Bullet Camera @25fps</b> <b>ImageSensor GC2053 + Processor Fullhan</b> Full Color WarmLight up to 40m 3.6mm Fixed Lens PowerSupply DC12V, OSD Menu Dimensions 310*90*75 IP66 weatherproof, MetalCase	CALL  OAB-0230 A28 -F36








**OLDEX**

لیست قیمت محصولات AHD  
فروردین ماه ۱۴۰۳

36	 FullColor	<b>2MP AHD Dome Camera @25fps</b> <b>ImageSensor F38 + Processor Fullhan(FH8536H)</b> Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 2MP PowerSupply DC12V, OSD Menu Dimensions 105*100*70 IP66 weatherproof, MetalCase	CALL OAD-0220 <b>B121</b> -F04
37	 FullColor	<b>2MP AHD Dome Camera @25fps</b> <b>ImageSensor GC2053 + Processor Fullhan(FH8536H)</b> Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 2MP PowerSupply DC12V, OSD Menu Dimensions 105*100*70 IP66 weatherproof, MetalCase	CALL OAD-0220 <b>G121</b> -F04
38	 FullColor	<b>2MP AHD Dome Camera @25fps</b> <b>ImageSensor Sony307 +Processor Fullhan(FH8550)</b> Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 2MP PowerSupply DC12V, OSD Menu Dimensions 105*100*70 IP66 weatherproof, MetalCase	CALL OAD-0220 <b>X321</b> -F04
39	 FullColor WDR	<b>2MP AHD Dome Camera @25fps , with WDR</b> <b>ImageSensor Sony307 +Processor Fullhan(FH8550)</b> Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 2MP PowerSupply DC12V, OSD Menu Dimensions 105*100*70 IP66 weatherproof, MetalCase	CALL OAD-0220 <b>X121</b> -F04
40	 FullColor	<b>2MP AHD Dome Camera @25fps</b> <b>ImageSensor GC2053 + Processor Fullhan</b> Full Color WarmLight up to 20m 3.6mm Fixed Lens PowerSupply DC12V, OSD Menu Dimensions 85*85*80 IP66 weatherproof, MetalCase	CALL OAD-0220 <b>B12</b> -F36
41	 FullColor	<b>5MP AHD Dome Camera @25fps</b> <b>ImageSensor Sony Sony307 + Processor Fullhan</b> Full Color WarmLight up to 20m 3.6mm Fixed Lens PowerSupply DC12V, OSD Menu Dimensions 100*100*100 IP65, PelasticCase	CALL OAD-0520 <b>X10</b> -F36
42	 FullColor	<b>5MP AHD Dome Camera @25fps</b> <b>ImageSensor GC4653 + Processor Fullhan(FH8538)</b> Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 5MP (2.8mm Optional) PowerSupply DC12V, OSD Menu Dimensions 105*100*70 IP66 weatherproof, MetalCase	CALL OAD-0520 <b>G221</b> -F04(28)
43	 FullColor	<b>5MP AHD Dome Camera @25fps</b> <b>ImageSensor Sony335 +Processor Fullhan(FH8538M)</b> Full Color WarmLight up to 20m 4mm Fixed Lens YTOT 5MP (2.8mm Optional) PowerSupply DC12V, OSD Menu Dimensions 105*100*70 IP66 weatherproof, MetalCase	CALL OAD-0520 <b>X221</b> -F04(28)

**OLDEX**

لیست قیمت محصولات AHD  
فروردین ماه ۱۴۰۳

<p>44</p>	 <p>FullColor (Dual Light: IR &amp; WarmLight)</p>	<p><b>دوربین بیسیم چرخشی (وای فای) و ارملایت سرپیچ لامپی</b>          رزولوشن 2 مگاپیکسل، قابلیت چرخش 360 درجه افقی و 120 درجه عمودی          دارای لنز فیکس با فاصله کانونی 2.8mm ، ساپورت مموری کارت تا 128 گیگابایت          دارای قابلیت پرتاب نورمرنی و نامرنی (دید در شب رنگی) IR &amp; WarmLight          دارای میکروفن و اسپیکر داخلی برای مکالمه دو طرفه          دارای WiFi داخلی ، دارای قابلیت تشخیص حرکت و انسان          قابلیت پخش آژیر از بلندگو ، ارسال پیام بر روی اپلیکیشن موبایل V380          تعقیب خودکار سوژه ، قابلیت تعریف نقاط پیش فرض در تصویر          دارای زمان بندی چرخش و آلارم و گردش اتومات، به همراه یکعدد سرپیچ لامپ</p>	<p>CALL ONW-02L1</p>
<p>45</p>	 <p>with IR</p>	<p><b>دوربین بیسیم چرخشی (وای فای) رومیزی / دیواری</b>          رزولوشن 3 مگاپیکسل، قابلیت چرخش 360 درجه افقی و 120 درجه عمودی          دارای لنز فیکس با فاصله کانونی 2.8mm ، ساپورت مموری کارت تا 128 گیگابایت          دارای قابلیت پرتاب نورنامرنی (دید در شب سیاه سفید) IR          دارای میکروفن و اسپیکر داخلی برای مکالمه دو طرفه          دارای WiFi داخلی ، دارای قابلیت تشخیص حرکت و انسان          قابلیت پخش آژیر از بلندگو ، ارسال پیام بر روی اپلیکیشن موبایل P6SLite          تعقیب خودکار سوژه ، قابلیت تعریف نقاط پیش فرض در تصویر          دارای زمان بندی چرخش و آلارم و گردش اتومات</p>	<p>CALL ONW-03P1</p>
<p>46</p>	 <p>FullColor (Dual Light: IR &amp; WarmLight)</p>	<p><b>دوربین بیسیم چرخشی (وای فای) و ارملایت رومیزی / دیواری</b>          رزولوشن 3 مگاپیکسل، قابلیت چرخش 360 درجه افقی و 120 درجه عمودی          دارای لنز فیکس با فاصله کانونی 2.8mm ، ساپورت مموری کارت تا 128 گیگابایت          دارای قابلیت پرتاب نورمرنی و نامرنی (دید در شب رنگی) IR &amp; WarmLight          دارای میکروفن و اسپیکر داخلی برای مکالمه دو طرفه          دارای WiFi داخلی ، دارای قابلیت تشخیص حرکت و انسان          قابلیت پخش آژیر از بلندگو ، ارسال پیام بر روی اپلیکیشن موبایل P6SLite          تعقیب خودکار سوژه ، قابلیت تعریف نقاط پیش فرض در تصویر          دارای زمان بندی چرخش و آلارم و گردش اتومات</p>	<p>CALL ONW-03PD2</p>
<p>47</p> 	<p>OPS-1202</p>	<p>آداپتور 12 ولت 2 آمپر - درجه یک</p>	<p>CALL OPS-1202</p>
<p>48</p> 	<p>بیچی مغزی طلایی جعبه 30 تایی</p>	<p>BNC</p>	<p>CALL</p>
<p>49</p> 	<p>سوکت شبکه Cat6 UTP میان گذر جعبه 50 تایی</p>	<p>Cat6 UTP</p>	<p>CALL</p>
<p>50</p> 	<p>سوکت شبکه Cat6 SFTP میان گذر جعبه 50 تایی</p>	<p>Cat6 SFTP</p>	<p>CALL</p>



**OLDEX**

لیست قیمت محصولات AHD  
فروردین ماه ۱۴۰۳

51		<p><b>4CH 5M-N XVR Hisilicon</b> Pentabrid (Analoge,AHD,CVI,TVI,IP) Recording 4*1080p@14FPS , H.265X Video Compression HDMI &amp; VGA &amp; AV Video Output 1 SATA HDD Up to 10TB <b>4CH Audio</b> In/1CH Audio Out 1*10/100 Mbps LAN Interface - 2*USB 2.0 - RS485 MotionDetection, VideoBlind, VideoLoss, Abnormality, FaceDetect, HumanDetect, VehicleDetect P2P <b>XMEye</b> support IOS&amp;Andriod</p>	<p>CALL OAR-0401-PH</p>
52		<p><b>4CH 5M-N XVR Novatech</b> Pentabrid (Analoge,AHD,CVI,TVI,IP) Recording 4*1080p@25FPS , H.265 Video Compression HDMI &amp; VGA &amp; AV Video Output 1 SATA HDD Up to 6TB <b>4CH Audio</b> In/1CH Audio Out 1*10/100 Mbps LAN Interface - 2*USB 2.0 - RS485 MotionDetection, VideoBlind, VideoLoss, Abnormality, FaceDetect, HumanDetect, VehicleDetect P2P <b>XMEye</b> support IOS&amp;Andriod</p>	<p>CALL OAR-0401-PV</p>
53		<p><b>4CH 5M-N XVR UniView</b> Pentabrid (Analoge,AHD,CVI,TVI,IP) Recording 4*5MP-N , H.265 Video Compression <b>Support Audio Over Coaxial Cable</b> HDMI &amp; VGA Video Output 1 SATA HDD Up to 6TB 1*10/100 Mbps LAN Interface - 2*USB 2.0 MotionDetection, VideoBlind, VideoLoss, Abnormality, FaceDetect, HumanDetect, VehicleDetect P2P <b>GuardViewer</b> support IOS&amp;Andriod</p>	<p>CALL OAR-V0401</p>
54		<p><b>8CH 5M-N XVR Novatech</b> Pentabrid (Analoge,AHD,CVI,TVI,IP) Recording 8*1080N@25FPS , H.265 Video Compression HDMI &amp; VGA &amp; AV Video Output 1 SATA HDD Up to 6TB <b>4CH Audio</b> In/1CH Audio Out 1*10/100 Mbps LAN Interface - 2*USB 2.0 - RS485 MotionDetection, VideoBlind, VideoLoss, Abnormality, FaceDetect, HumanDetect, VehicleDetect P2P <b>XMEye</b> support IOS&amp;Andriod</p>	<p>بزرودی OAR-0801-NV</p>
55		<p><b>8CH 5M-N XVR UniView</b> Pentabrid (Analoge,AHD,CVI,TVI,IP) Recording 8*5MP-N , H.265 Video Compression <b>Support Audio Over Coaxial Cable</b> HDMI &amp; VGA Video Output 1 SATA HDD Up to 6TB 1*10/100 Mbps LAN Interface - 2*USB 2.0 MotionDetection, VideoBlind, VideoLoss, Abnormality, FaceDetect, HumanDetect, VehicleDetect P2P <b>GuardViewer</b> support IOS&amp;Andriod</p>	<p>CALL OAR-V0801</p>
56		<p><b>16CH 5M-N XVR UniView</b> Pentabrid (Analoge,AHD,CVI,TVI,IP) Recording 16*5MP-N , H.265 Video Compression <b>Support Audio Over Coaxial Cable</b> HDMI &amp; VGA Video Output 1 SATA HDD Up to 6TB 1*10/100 Mbps LAN Interface - 2*USB 2.0 MotionDetection, VideoBlind, VideoLoss, Abnormality, FaceDetect, HumanDetect, VehicleDetect P2P <b>GuardViewer</b> support IOS&amp;Andriod</p>	<p>CALL OAR-V1601</p>